Thank you for giving UL the opportunity to partner with you.
Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at https://www.ul.com/about/locations.

Please find attached the related material on Project

For your convenience, the below describes the related updates:

MH67512-20250226-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

Certificate of Compliance

Certificate Number:

UL-WATER-L67512-14551-62205202-0

Report Reference:

MH67512-20250226

Issue Date:

2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
FDNP - Drinking Water System Components

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-L67512-14551-62205202-0
Report reference	MH67512-20250226
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS3BC9YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm and handle on the left
RWUS3BC7YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm and handle on the left
RWUS51A5ZZ01
Category: Concealed part for 3M wall mounted faucet
RWUS51A5ZZ60
Category: Concealed part for 3M wall mounted faucet
RWUS51A8ZZ60
Category: Concealed part for 3M wall mounted faucet, External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the right
RWUS3BA5YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the right
RWUS3BA6YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm, eternal plate and handle on the right
RWUS3BC5YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm and handle on the right
RWUS3BC6YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm and handle on the right
RWUS3BA7YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the left
RWUS3BA9YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm, eternal plate and handle on the left

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:

UL-WATER-L67512-68451-62205202-0

Report Reference:

MH67512-20250226

Issue Date:

2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:

FDNP7 - Drinking Water System Components Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-L67512-68451-62205202-0
Report reference	MH67512-20250226
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS3BC7YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm and handle on the left
RWUS51A5ZZ01
Category: Concealed part for 3M wall mounted faucet
RWUS51A5ZZ60
Category: Concealed part for 3M wall mounted faucet
RWUS51A8ZZ60
Category: Concealed part for 3M wall mounted faucet, External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the right
RWUS3BA5YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the right
RWUS3BA6YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm, eternal plate and handle on the right
RWUS3BC5YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm and handle on the right
RWUS3BC6YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm and handle on the right
RWUS3BA7YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the left
RWUS3BA9YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm, eternal plate and handle on the left
RWUS3BC9YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm and handle on the left

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:

UL-WATER-L67512-45831-62205202-0

Report Reference:

MH67512-20250226

Issue Date:

2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:

QNVB - Lead Content Verification of Products in Contact with Potable Water

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

UL Solutions

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-L67512-45831-62205202-0
Report reference	MH67512-20250226
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS51A5ZZ60
Category: Concealed part for 3M wall mounted faucet
RWUS51A8ZZ60
Category: Concealed part for 3M wall mounted faucet, External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the right
RWUS3BA5YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the right
RWUS3BA6YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm, eternal plate and handle on the right
RWUS3BC5YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm and handle on the right
RWUS3BC6YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm and handle on the right
RWUS3BA7YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the left
RWUS3BA9YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm, eternal plate and handle on the left
RWUS3BC7YYXX
Category: Ext. part for wall mount faucet w/ spout length of 185 mm, handle on left,Ext. part for wall mount faucet w/ spout length of 230 mm, handle on left
RWUS51A5ZZ01
Category: Concealed part for 3M wall mounted faucet

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:

UL-WATER-L67512-45841-62205202-0

Report Reference:

MH67512-20250226

Issue Date:

2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:

QNVB7 - Lead Content Verification of Products in Contact with Potable Water Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

UL Solutions

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-L67512-45841-62205202-0
Report reference	MH67512-20250226
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS51A5ZZ60
Category: Concealed part for 3M wall mounted faucet
RWUS51A8ZZ60
Category: Concealed part for 3M wall mounted faucet, External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the right
RWUS3BA5YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the right
RWUS3BA6YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm, eternal plate and handle on the right
RWUS3BC5YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm and handle on the right
RWUS3BC6YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm and handle on the right
RWUS3BA7YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 185 mm, eternal plate and handle on the left
RWUS3BA9YYXX
XX - Different handle details YY - Different possible finishing
Category: External part for wall mounted faucet with spout length of 230 mm, eternal plate and handle on the left
RWUS3BC7YYXX
Category: Ext. part for wall mount faucet w/ spout length of 185 mm, handle on left,Ext. part for wall mount faucet w/ spout length of 230 mm, handle on left
RWUS51A5ZZ01
Category: Concealed part for 3M wall mounted faucet

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Thank you for giving UL the opportunity to partner with you.
Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at https://www.ul.com/about/locations.

Please find attached the related material on Project

For your convenience, the below describes the related updates:

MH67512-20250724-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

Certificate of Compliance

Certificate Number:
UL-WATER-000603-0

Report Reference:
MH67512-20250724

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
FDNP - Drinking Water System Components

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000603-0
Report reference	MH67512-20250724
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US28 Design, US2811YY5MZZ
Deck mounted faucet with flat body 155 mm long and flat rod 203 mm long
US28 Design, US2818YY5MZZ
Deck mounted faucet with flat body 205 mm long and flat rod 224 mm long

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000604-0

Report Reference:
MH67512-20250724

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
FDNP7 - Drinking Water System Components Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000604-0
Report reference	MH67512-20250724
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US28 Design, US2811YY5MZZ
Deck mounted faucet with flat body 155 mm long and flat rod 203 mm long
US28 Design, US2818YY5MZZ
Deck mounted faucet with flat body 205 mm long and flat rod 224 mm long

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000605-0

Report Reference:
MH67512-20250724

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNVB - Lead Content Verification of Products in Contact with Potable Water

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000605-0
Report reference	MH67512-20250724
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US28 Design, US2811YY5MZZ
Deck mounted faucet with flat body 155 mm long and flat rod 203 mm long
US28 Design, US2818YY5MZZ
Deck mounted faucet with flat body 205 mm long and flat rod 224 mm long

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000606-0

Report Reference:
MH67512-20250724

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNVB7 - Lead Content Verification of Products in Contact with Potable Water Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000606-0
Report reference	MH67512-20250724
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US28 Design, US2811YY5MZZ
Deck mounted faucet with flat body 155 mm long and flat rod 203 mm long
US28 Design, US2818YY5MZZ
Deck mounted faucet with flat body 205 mm long and flat rod 224 mm long

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Thank you for giving UL the opportunity to partner with you.
Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at https://www.ul.com/about/locations.

Please find attached the related material on Project

For your convenience, the below describes the related updates:

MH67512-20250725-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

Certificate of Compliance

Certificate Number:
UL-WATER-000607-0

Report Reference:
MH67512-20250725

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
FDNP - Drinking Water System Components

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000607-0
Report reference	MH67512-20250725
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US9A Design, US9A31YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 296 mm and rod length of 247 mm
US9A Design, US9A18YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 290 mm and rod length of 193 mm
US9A Design, US9A11YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 150 mm and rod length of 153 mm
US9A Design, US9A11YYXXCL
Deck mounted Faucet US9A Desing. Body length of 165 mm and rod length of 156 mm
US9A Design, US9A27YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 210 mm and rod length of 156 mm
US9A Design, US9A22YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 165 mm and rod length of 100 mm
US4A Design, US4A18YYXXZZ
Deck mounted Faucet US4A Desing. Body length of 324 mm and rod length of 240 mm
US4A Design, US4A11YYXXZZ
Deck mounted Faucet US4A Desing. Body length of 174 mm and rod length of 200 mm
US3B Design, US3B11ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 188 mm and rod length of 152 mm
US3B Design, US3B27ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 251 mm and rod length of 172 mm
US3B Design, US3B18ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 326 mm and rod length of 172 mm

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000608-0

Report Reference:
MH67512-20250725

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
FDNP7 - Drinking Water System Components Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000608-0
Report reference	MH67512-20250725
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US9A Design, US9A31YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 296 mm and rod length of 247 mm
US9A Design, US9A18YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 290 mm and rod length of 193 mm
US9A Design, US9A11YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 150 mm and rod length of 153 mm
US9A Design, US9A11YYXXCL
Deck mounted Faucet US9A Desing. Body length of 165 mm and rod length of 156 mm
US9A Design, US9A27YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 210 mm and rod length of 156 mm
US9A Design, US9A22YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 165 mm and rod length of 100 mm
US4A Design, US4A18YYXXZZ
Deck mounted Faucet US4A Desing. Body length of 324 mm and rod length of 240 mm
US4A Design, US4A11YYXXZZ
Deck mounted Faucet US4A Desing. Body length of 174 mm and rod length of 200 mm
US3B Design, US3B11ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 188 mm and rod length of 152 mm
US3B Design, US3B27ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 251 mm and rod length of 172 mm
US3B Design, US3B18ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 326 mm and rod length of 172 mm

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000609-0

Report Reference:
MH67512-20250725

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNVB - Lead Content Verification of Products in Contact with Potable Water

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000609-0
Report reference	MH67512-20250725
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US3B Design, US3B11ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 188 mm and rod length of 152 mm
US3B Design, US3B18ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 326 mm and rod length of 172 mm
US3B Design, US3B27ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 251 mm and rod length of 172 mm
US4A Design, US4A11YYXXZZ
Deck mounted Faucet US4A Desing. Body length of 174 mm and rod length of 200 mm
US4A Design, US4A18YYXXZZ
Deck mounted Faucet US4A Desing. Body length of 324 mm and rod length of 240 mm
US9A Design, US9A11YYXXCL
Deck mounted Faucet US9A Desing. Body length of 165 mm and rod length of 156 mm
US9A Design, US9A11YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 150 mm and rod length of 153 mm
US9A Design, US9A18YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 290 mm and rod length of 193 mm
US9A Design, US9A22YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 165 mm and rod length of 100 mm
US9A Design, US9A27YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 210 mm and rod length of 156 mm
US9A Design, US9A31YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 296 mm and rod length of 247 mm

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000610-0

Report Reference:
MH67512-20250725

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNVB7 - Lead Content Verification of Products in Contact with Potable Water Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000610-0
Report reference	MH67512-20250725
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US9A Design, US9A31YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 296 mm and rod length of 247 mm
US9A Design, US9A18YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 290 mm and rod length of 193 mm
US9A Design, US9A11YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 150 mm and rod length of 153 mm
US9A Design, US9A11YYXXCL
Deck mounted Faucet US9A Desing. Body length of 165 mm and rod length of 156 mm
US9A Design, US9A27YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 210 mm and rod length of 156 mm
US9A Design, US9A22YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 165 mm and rod length of 100 mm
US4A Design, US4A18YYXXZZ
Deck mounted Faucet US4A Desing. Body length of 324 mm and rod length of 240 mm
US4A Design, US4A11YYXXZZ
Deck mounted Faucet US4A Desing. Body length of 174 mm and rod length of 200 mm
US3B Design, US3B11ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 188 mm and rod length of 152 mm
US3B Design, US3B27ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 251 mm and rod length of 172 mm
US3B Design, US3B18ISYYZZ
Deck mounted Faucet US3B Desing. Body length of 326 mm and rod length of 172 mm

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Thank you for giving UL the opportunity to partner with you.
Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at https://www.ul.com/about/locations.

Please find attached the related material on Project

For your convenience, the below describes the related updates:

MH67512-20250726-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

Certificate of Compliance

Certificate Number:
UL-WATER-000611-0

Report Reference:
MH67512-20250726

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
FDNP - Drinking Water System Components

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000611-0
Report reference	MH67512-20250726
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS1310 Design, RWUS1310YY10
Deck mounted spout only RWUS1310 Design with body length of 150 mm
RWUS1310 Design, RWUS1310YY20
Deck mounted spout only RWUS1310 Design with body length of 220 mm
RWUS1310 Design, RWUS1310YY30
Deck mounted spout only RWUS1310 Design with body length of 305 mm

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000612-0

Report Reference:
MH67512-20250726

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
FDNP7 - Drinking Water System Components Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000612-0
Report reference	MH67512-20250726
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS1310 Design, RWUS1310YY10
Deck mounted spout only RWUS1310 Design with body length of 150 mm
RWUS1310 Design, RWUS1310YY20
Deck mounted spout only RWUS1310 Design with body length of 220 mm
RWUS1310 Design, RWUS1310YY30
Deck mounted spout only RWUS1310 Design with body length of 305 mm

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000613-0

Report Reference:
MH67512-20250726

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNVB - Lead Content Verification of Products in Contact with Potable Water

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000613-0
Report reference	MH67512-20250726
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US9A Design, US9A31YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 296 mm and rod length of 247 mm
US9A Design, US9A27YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 210 mm and rod length of 156 mm
RWUS1310 Design, RWUS1310YY10
Deck mounted spout only RWUS1310 Design with body length of 150 mm
RWUS1310 Design, RWUS1310YY20
Deck mounted spout only RWUS1310 Design with body length of 220 mm
RWUS1310 Design, RWUS1310YY30
Deck mounted spout only RWUS1310 Design with body length of 305 mm

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000614-0

Report Reference:
MH67512-20250726

Issue Date:
2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNVB7 - Lead Content Verification of Products in Contact with Potable Water Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000614-0
Report reference	MH67512-20250726
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US9A Design, US9A11YYXXZZ
Deck mounted Faucet US9A Desing. Body length of 150 mm and rod length of 153 mm

RWUS1310 Design, RWUS1310YY10
Deck mounted spout only RWUS1310 Design with body length of 150 mm

RWUS1310 Design, RWUS1310YY20
Deck mounted spout only RWUS1310 Design with body length of 220 mm

RWUS1310 Design, RWUS1310YY30
Deck mounted spout only RWUS1310 Design with body length of 305 mm

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Thank you for giving UL the opportunity to partner with you.
Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at https://www.ul.com/about/locations.

Please find attached the related material on Project

For your convenience, the below describes the related updates:

SA46424-20250428-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

Certificate of Compliance

Certificate Number:
UL-WATER-000140-3

Report Reference:
SA46424-20250428

Issue Date:
2025-06-27

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNSQ - Plumbing Fixture Fittings

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000140-3
Report reference	SA46424-20250428
Date	2025-06-27

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS3BD4YYXX
RWUS4AD Design, RWUS4AD8YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: External Part for Tub filler RWUS4A design
RWUS13D Design, RWUS13D4YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: External Part for hand shower RWUS13D design
RWUS13D Design, RWUS13D8YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: External Part for Tub filler without external plate RWUS13D design
RWUS13D Design, RWUS13D7YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: External Part for Tub filler with external plate RWUS13D design
RWUS51D7ZZ12



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000140-3
Report reference	SA46424-20250428
Date	2025-06-27

Category: Concealed body for Tub Filler and hand shower combination
RWUS4AD Design, RWUS4AD4YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: External Part for hand shower RWUS4A design
RWUS3B Design, RWUS3BD4YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Hand shower RWUS 3B design
RWUS3B Design, RWUS3BD8YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Tub filler without external plate RWUS3B design
RWUS3B Design, RWUS3BD7YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Tub filler with external plate RWUS3BD design

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000139-3

Report Reference:
SA46424-20250428

Issue Date:
2025-06-27

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNSQ7 - Plumbing Fixture Fittings Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000139-3
Report reference	SA46424-20250428
Date	2025-06-27

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS4AD Design, RWUS4AD4YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: External Part for hand shower RWUS4A design

RWUS3B Design, RWUS3BD4YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Hand shower RWUS 3B design

RWUS51D7ZZ12

Category: Concealed body for Tub Filler and hand shower combination

RWUS4AD Design, RWUS4AD8YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: External Part for Tub filler RWUS4A design

RWUS13D Design, RWUS13D4YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: External Part for hand shower RWUS13D design

RWUS13D Design, RWUS13D8YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000139-3
Report reference	SA46424-20250428
Date	2025-06-27

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: External Part for Tub filler without external plate RWUS13D design
RWUS3BD4YYXX
RWUS3B Design, RWUS3BD7YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Tub filler with external plate RWUS3BD design
RWUS13D Design, RWUS13D7YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: External Part for Tub filler with external plate RWUS13D design
RWUS3B Design, RWUS3BD8YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Tub filler without external plate RWUS3B design

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Thank you for giving UL the opportunity to partner with you.
Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at https://www.ul.com/about/locations.

Please find attached the related material on Project

For your convenience, the below describes the related updates:

SA46424-20250625-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

Certificate of Compliance

Certificate Number:
UL-WATER-000399-0

Report Reference:
SA46424-20250625

Issue Date:
2025-06-27

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNSQ - Plumbing Fixture Fittings

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000399-0
Report reference	SA46424-20250625
Date	2025-06-27

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Concealed part for wall mounted faucet, RWUS51A5ZZ60

Category: Concealed Body
Concealed part for wall mounted faucet, RWUS51A8ZZ60

Category: Concealed Body
RWUS3B Design, RWUS3BA5YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 185 mm, external plate and handle on the right
RWUS3B Design, RWUS3BA6YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 230 mm, external plate and handle on the right
RWUS3B Design, RWUS3BC5YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 185 mm and handle on the right
RWUS3B Design, RWUS3BC6YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 230 mm and handle on the right
RWUS3B Design, RWUS3BA7YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 185 mm, external plate and handle on the left
RWUS3B Design, RWUS3BA9YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 230 mm, external plate and handle on the left
RWUS3B Design, RWUS3BC7YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 185 mm and handle on the left
RWUS3B Design, RWUS3BC9YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 230 mm and handle on the left

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number:
UL-WATER-000398-0

Report Reference:
SA46424-20250625

Issue Date:
2025-06-27

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNSQ7 - Plumbing Fixture Fittings Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s)	UL-WATER-000398-0
Report reference	SA46424-20250625
Date	2025-06-27

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Concealed part for wall mounted faucet, RWUS51A5ZZ60

Category: Concealed Body
Concealed part for wall mounted faucet, RWUS51A8ZZ60

Category: Concealed Body
RWUS3B Design, RWUS3BA5YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 185 mm, external plate and handle on the right
RWUS3B Design, RWUS3BA6YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 230 mm, external plate and handle on the right
RWUS3B Design, RWUS3BC5YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 185 mm and handle on the right
RWUS3B Design, RWUS3BC6YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 230 mm and handle on the right
RWUS3B Design, RWUS3BA7YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 185 mm, external plate and handle on the left
RWUS3B Design, RWUS3BA9YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 230 mm, external plate and handle on the left
RWUS3B Design, RWUS3BC7YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 185 mm and handle on the left
RWUS3B Design, RWUS3BC9YYXX

XX: Different aesthetic handle detail
YY: Indicate the different applicable finishing has follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Wall mounted faucet with spout length of 230 mm and handle on the left

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

Thank you for giving UL the opportunity to partner with you.
Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at https://www.ul.com/about/locations.

Please find attached the related material on Project

For your convenience, the below describes the related updates:

SA46424-20250724-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

Certificate of Compliance

Certificate Number:

UL-WATER-000630-0

Report Reference:

SA46424-20250724

Issue Date:

2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNSQ - Plumbing Fixture Fittings

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch **Error! No text of specified style in document.**
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.
Form-ULID-019496 – ver 1.0

CONFIDENTIAL: UL Solutions Strictly Confidential. [No Encryption]

CERTIFICATE OF COMPLIANCE

Certificate number	UL-WATER-000630-0
Report reference	SA46424-20250724
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Lavatory Faucet RWUS4A Design, RWUS4AA6YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS4A Design, RWUS4AA5YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS4A Design, RWUS4AC5YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS4A Design, RWUS4AC6YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13A6YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13C6YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CONFIDENTIAL: UL Solutions Strictly Confidential. [No Encryption]

CERTIFICATE OF COMPLIANCE

Certificate number	UL-WATER-000630-0
Report reference	SA46424-20250724
Date	2025-07-29

Lavatory Faucet RWUS13A Design, RWUS13C9YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13A9YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13B3YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13D3YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Deck mounted mounted spout S4A Design, US4A63YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Deck mounted spout US4A Design, US4A61YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS4A Design, RWUS4AC8YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CONFIDENTIAL: UL Solutions Strictly Confidential. [No Encryption]

CERTIFICATE OF COMPLIANCE

Certificate number	UL-WATER-000630-0
Report reference	SA46424-20250724
Date	2025-07-29

Lavatory Faucet RWUS13A Design, RWUS13A5YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13B2YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13C7YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13D2YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13A7YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13C5YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Wall mounted spout only US136, US1363YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CONFIDENTIAL: UL Solutions Strictly Confidential. [No Encryption]

CERTIFICATE OF COMPLIANCE

Certificate number	UL-WATER-000630-0
Report reference	SA46424-20250724
Date	2025-07-29

Wall mounted Spout US136 Design, US1361YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13 Design, RWUS13C8YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Wall mounted lavatory mixer 250 mm spout long RWUS9A Design, RWUS9AA6YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Wall mounted lavatory mixer 200 mm spout long RWUS9A Design, RWUS9AA5YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CONFIDENTIAL: UL Solutions Strictly Confidential. [No Encryption]

Certificate of Compliance

Certificate Number:

UL-WATER-000631-0

Report Reference:

SA46424-20250724

Issue Date:

2025-07-29

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:

QNSQ7 - Plumbing Fixture Fittings Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch **Error! No text of specified style in document.**
UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CONFIDENTIAL: UL Solutions Strictly Confidential. [No Encryption]

CERTIFICATE OF COMPLIANCE

Certificate number	UL-WATER-000631-0
Report reference	SA46424-20250724
Date	2025-07-29

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Lavatory Faucet RWUS4A Design, RWUS4AA6YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS4A Design, RWUS4AA5YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS4A Design, RWUS4AC5YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS4A Design, RWUS4AC6YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13A6YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13C6YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CONFIDENTIAL: UL Solutions Strictly Confidential. [No Encryption]

CERTIFICATE OF COMPLIANCE

Certificate number	UL-WATER-000631-0
Report reference	SA46424-20250724
Date	2025-07-29

Lavatory Faucet RWUS13A Design, RWUS13C9YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13A9YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13B3YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13D3YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Deck mounted mounted spout S4A Design, US4A63YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Deck mounted spout US4A Design, US4A61YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CONFIDENTIAL: UL Solutions Strictly Confidential. [No Encryption]

CERTIFICATE OF COMPLIANCE

Certificate number	UL-WATER-000631-0
Report reference	SA46424-20250724
Date	2025-07-29

Lavatory Faucet RWUS4A Design, RWUS4AC8YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13A5YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13B2YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13C7YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13D2YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13A Design, RWUS13A7YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CONFIDENTIAL: UL Solutions Strictly Confidential. [No Encryption]

CERTIFICATE OF COMPLIANCE

Certificate number	UL-WATER-000631-0
Report reference	SA46424-20250724
Date	2025-07-29

Lavatory Faucet RWUS13A Design, RWUS13C5YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Wall mounted spout only US136, US1363YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Wall mounted Spout US136 Design, US1361YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Lavatory Faucet RWUS13 Design, RWUS13C8YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Wall mounted lavatory mixer 250 mm spout long RWUS9A Design, RWUS9AA6YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Wall mounted lavatory mixer 200 mm spout long RWUS9A Design, RWUS9AA5YYXX

XX: Different aesthetic handle detail

YY: Indicate the different applicable finishing has follow:

- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CONFIDENTIAL: UL Solutions Strictly Confidential. [No Encryption]

Thank you for giving UL the opportunity to partner with you.
Please note, Follow-Up Procedure Revisions or Report Revisions do not include Authorization Pages, Indices, Section General, and/or Appendices unless revisions were required or requested.

Should you have any questions, after reviewing the material, or need to report any inaccuracies, please reach out to your UL representative or find UL contact details for your local Customer Service Department at https://www.ul.com/about/locations.

Please find attached the related material on Project

For your convenience, the below describes the related updates:

SA46424-20250811-CertificateofCompliance

This material is provided on behalf of UL LLC (UL) or any authorized licensee of UL.

Times change, Trust Remains™

Certificate of Compliance

Certificate Number:
UL-WATER-000670-0

Report Reference:
SA46424-20250811

Issue Date:
2025-08-12

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNSQ - Plumbing Fixture Fittings

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10;
ASSE 1016/ASME A112.1016/CSA B125.16, 2nd Ed, Issue Date: 2017-02

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s) UL-WATER-000670-0
Report reference SA46424-20250811
Date 2025-08-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Thermo Red Box, RWUS8A46YYXX

- 46: 2 way diverter
-XX: Different external plate sizes and diverter handle lengt.
-YY: Indicate the different applicable finishing as follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Two Way diverting Automatic compensating valves Red Box Thermo Design

Thermo Red Box, RWUS8A46ZZ20

Category: Concealed body for Red Box Thermo Automatic compensating valves with check valve blocking system

Thermo Red Box, RWIT8A46ZZ20

Category: Concealed body for Red Box Thermo Automatic compensating valves without check valve blocking system

Thermo Red Box, RWUS8A72YYXX

- 72: 3 way diverter
-XX:Different external plate sizes and diverter handle lenght.
-YY: Indicate the different applicable finishing as follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Three Way diverting Automatic compensating valves Red Box Thermo Design

Certificate of Compliance

Certificate Number:
UL-WATER-000671-0

Report Reference:
SA46424-20250811

Issue Date:
2025-08-12

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10 Asciano, SI 53041
Italy

This certificate confirms that representative samples of:
QNSQ7 - Plumbing Fixture Fittings Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10;
ASSE 1016/ASME A112.1016/CSA B125.16, 2nd Ed, Issue Date: 2017-02

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2025 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s) UL-WATER-000670-0
Report reference SA46424-20250811
Date 2025-08-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Thermo Red Box, RWUS8A46YYXX

- 46: 2 way diverter
-XX: Different external plate sizes and diverter handle lengt.
-YY: Indicate the different applicable finishing as follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Two Way diverting Automatic compensating valves Red Box Thermo Design

Thermo Red Box, RWUS8A46ZZ20

Category: Concealed body for Red Box Thermo Automatic compensating valves with check valve blocking system

Thermo Red Box, RWIT8A46ZZ20

Category: Concealed body for Red Box Thermo Automatic compensating valves without check valve blocking system

Thermo Red Box, RWUS8A72YYXX

- 72: 3 way diverter
-XX:Different external plate sizes and diverter handle lenght.
-YY: Indicate the different applicable finishing as follow:
- IS Brushed Steel
- 01 PVD Gun metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold

Category: Three Way diverting Automatic compensating valves Red Box Thermo Design

Certificate of Compliance

Certificate Number(s):
UL-WATER-000603-2

Report Reference:
MH67512-20250724

Issue Date:
2026-10-07

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:
FDNP - Drinking Water System Components

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-000603-2
Report reference: MH67512-20250724
Issue Date: 2026-10-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS2571YY01
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Deck Mounted control mixer

US28 Design, RWUS2810YY10
YY Indicate the different applicable finishing not in contact with water
Category: Single Deck mounted Spout 204 mm long

US28 Design, RWUS2865YY01
YY Indicate the different applicable finishing not in contact with water

Category: Single handle rectangular shape

US28 Design, RWUS2865YY02
YY Indicate the different applicable finishing not in contact with water
Category: Single Handle Quadrangular shape

US251 Design, US2514YY5FXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Washbasin mixer 154 mm tall with flat spout 170 mm US251 Design

US251 Design, US2515YY5FXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Washbasin mixer 192 mm tall with flat spout 210 mm US251 Design

US28 Design, US2811YY5MZZ
Deck mounted faucet with flat body 155 mm long and flat rod 203 mm long

US28 Design, US2818YY5MZZ
Deck mounted faucet with flat body 205 mm long and flat rod 224 mm long

US28 Design, US2833YY5MXX
YY Indicate the different applicable finishing not in contact with water
XX Indicate different handle shape
Category: Deck mounted faucet with flat body and external handle 230 mm long and flat rod 254 mm long

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number(s):

UL-WATER-000605-2

Report Reference:

MH67512-20250724

Issue Date:

2026-10-07

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:

QNVB - Lead Content Verification of Products in Contact with Potable Water

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-000603-2
Report reference: MH67512-20250724
Issue Date: 2026-10-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS2571YY01
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Deck Mounted control mixer

US28 Design, RWUS2810YY10
YY Indicate the different applicable finishing not in contact with water
Category: Single Deck mounted Spout 204 mm long

US28 Design, RWUS2865YY01
YY Indicate the different applicable finishing not in contact with water

Category: Single handle rectangular shape

US28 Design, RWUS2865YY02
YY Indicate the different applicable finishing not in contact with water
Category: Single Handle Quadrangular shape

US251 Design, US2514YY5FXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Washbasin mixer 154 mm tall with flat spout 170 mm US251 Design

US251 Design, US2515YY5FXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Washbasin mixer 192 mm tall with flat spout 210 mm US251 Design

US28 Design, US2811YY5MZZ
Deck mounted faucet with flat body 155 mm long and flat rod 203 mm long

US28 Design, US2818YY5MZZ
Deck mounted faucet with flat body 205 mm long and flat rod 224 mm long

US28 Design, US2833YY5MXX
YY Indicate the different applicable finishing not in contact with water
XX Indicate different handle shape
Category: Deck mounted faucet with flat body and external handle 230 mm long and flat rod 254 mm long

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number(s):

UL-WATER-000604-2

Report Reference:

MH67512-20250724

Issue Date:

2026-10-07

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:

FDNP7 - Drinking Water System Components Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-000603-2
Report reference: MH67512-20250724
Issue Date: 2026-10-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS2571YY01
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Deck Mounted control mixer

US28 Design, RWUS2810YY10
YY Indicate the different applicable finishing not in contact with water
Category: Single Deck mounted Spout 204 mm long

US28 Design, RWUS2865YY01
YY Indicate the different applicable finishing not in contact with water

Category: Single handle rectangular shape

US28 Design, RWUS2865YY02
YY Indicate the different applicable finishing not in contact with water
Category: Single Handle Quadrangular shape

US251 Design, US2514YY5FXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Washbasin mixer 154 mm tall with flat spout 170 mm US251 Design

US251 Design, US2515YY5FXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Washbasin mixer 192 mm tall with flat spout 210 mm US251 Design

US28 Design, US2811YY5MZZ
Deck mounted faucet with flat body 155 mm long and flat rod 203 mm long

US28 Design, US2818YY5MZZ
Deck mounted faucet with flat body 205 mm long and flat rod 224 mm long

US28 Design, US2833YY5MXX
YY Indicate the different applicable finishing not in contact with water
XX Indicate different handle shape
Category: Deck mounted faucet with flat body and external handle 230 mm long and flat rod 254 mm long

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number(s):
UL-WATER-000606-2

Report Reference:
MH67512-20250724

Issue Date:
2026-10-07

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:

QNVB7 - Lead Content Verification of Products in Contact with Potable Water Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-000603-2
Report reference: MH67512-20250724
Issue Date: 2026-10-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS2571YY01
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Deck Mounted control mixer

US28 Design, RWUS2810YY10
YY Indicate the different applicable finishing not in contact with water
Category: Single Deck mounted Spout 204 mm long

US28 Design, RWUS2865YY01
YY Indicate the different applicable finishing not in contact with water

Category: Single handle rectangular shape

US28 Design, RWUS2865YY02
YY Indicate the different applicable finishing not in contact with water
Category: Single Handle Quadrangular shape

US251 Design, US2514YY5FXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Washbasin mixer 154 mm tall with flat spout 170 mm US251 Design

US251 Design, US2515YY5FXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Washbasin mixer 192 mm tall with flat spout 210 mm US251 Design

US28 Design, US2811YY5MZZ
Deck mounted faucet with flat body 155 mm long and flat rod 203 mm long

US28 Design, US2818YY5MZZ
Deck mounted faucet with flat body 205 mm long and flat rod 224 mm long

US28 Design, US2833YY5MXX
YY Indicate the different applicable finishing not in contact with water
XX Indicate different handle shape
Category: Deck mounted faucet with flat body and external handle 230 mm long and flat rod 254 mm long

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number(s):
UL-WATER-001910-0

Report Reference:
MH67512-20260703

Issue Date:
2026-07-14

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:
FDNP - Drinking Water System Components

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-001910-0
Report reference: MH67512-20260703
Issue Date: 2026-07-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US60 Design, RWUS6011YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 290 mm, US60 Design

US60 Design, RWUS6016YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 390 mm, US60 Design

US60 Design, RWUS6054YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 340 mm, US60 Design

US11 Design, US1111YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 290 mm tall, mounted handle

US11 Design, US1118YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 390 mm tall, mounted handle

US11 Design, US1127YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 340 mm tall, mounted handle

US11 Design, US1133YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 365 mm tall, external handle

US11 Design, US1134YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 360 mm tall, mounted handle

US30 Design, US3014YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 290 mm tall, mounted handles on one side

US30 Design, US3015YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 386 mm tall, mounted handles on one side

US30 Design, US3053YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 340 mm tall, mounted handles on one side

US60 Design, US6011YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted faucet with flat body and external handle 230 mm long and flat rod 254 mm long

US60 Design, US6014YY2GZZ
YY Indicate the different applicable finishing not in contact with water

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-001910-0
Report reference: MH67512-20260703
Issue Date: 2026-07-14

Category: Two handle deck mounted faucet US60 Design 285 mm tall, mounted handles on two sides

US60 Design, US6015YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 390 mm tall, mounted handles on two sides

US60 Design, US6016YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 390 mm tall, external handles

US60 Design, US6031YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 360 mm tall, mounted handles on two sides

US60 Design, US6053YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 336 mm tall, mounted handles on two sides

US60 Design, US6054YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 340 mm tall, external handles

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number(s):
UL-WATER-001911-0

Report Reference:
MH67512-20260703

Issue Date:
2026-07-14

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:
FDNP7 - Drinking Water System Components Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-001911-0
Report reference: MH67512-20260703
Issue Date: 2026-07-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US60 Design, RWUS6011YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 290 mm, US60 Design

US60 Design, RWUS6016YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 390 mm, US60 Design

US60 Design, RWUS6054YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 340 mm, US60 Design

US11 Design, US1111YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 290 mm tall, mounted handle

US11 Design, US1118YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 390 mm tall, mounted handle

US11 Design, US1127YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 340 mm tall, mounted handle

US11 Design, US1133YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 365 mm tall, external handle

US11 Design, US1134YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 360 mm tall, mounted handle

US30 Design, US3014YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 290 mm tall, mounted handles on one side

US30 Design, US3015YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 386 mm tall, mounted handles on one side

US30 Design, US3053YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 340 mm tall, mounted handles on one side

US60 Design, US6011YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted faucet with flat body and external handle 230 mm long and flat rod 254 mm long

US60 Design, US6014YY2GZZ
YY Indicate the different applicable finishing not in contact with water

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-001911-0
Report reference: MH67512-20260703
Issue Date: 2026-07-14

Category: Two handle deck mounted faucet US60 Design 285 mm tall, mounted handles on two sides

US60 Design, US6015YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 390 mm tall, mounted handles on two sides

US60 Design, US6016YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 390 mm tall, external handles

US60 Design, US6031YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 360 mm tall, mounted handles on two sides

US60 Design, US6053YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 336 mm tall, mounted handles on two sides

US60 Design, US6054YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 340 mm tall, external handles

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number(s):
UL-WATER-001912-0

Report Reference:
MH67512-20260703

Issue Date:
2026-07-14

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:

QNVB - Lead Content Verification of Products in Contact with Potable Water

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-001912-0
Report reference: MH67512-20260703
Issue Date: 2026-07-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US60 Design, RWUS6011YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 290 mm, US60 Design

US60 Design, RWUS6016YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 390 mm, US60 Design

US60 Design, RWUS6054YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 340 mm, US60 Design

US11 Design, US1111YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 290 mm tall, mounted handle

US11 Design, US1118YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 390 mm tall, mounted handle

US11 Design, US1127YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 340 mm tall, mounted handle

US11 Design, US1133YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 365 mm tall, external handle

US11 Design, US1134YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 360 mm tall, mounted handle

US30 Design, US3014YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 290 mm tall, mounted handles on one side

US30 Design, US3015YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 386 mm tall, mounted handles on one side

US30 Design, US3053YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 340 mm tall, mounted handles on one side

US60 Design, US6011YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted faucet with flat body and external handle 230 mm long and flat rod 254 mm long

US60 Design, US6014YY2GZZ
YY Indicate the different applicable finishing not in contact with water

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-001912-0
Report reference: MH67512-20260703
Issue Date: 2026-07-14

Category: Two handle deck mounted faucet US60 Design 285 mm tall, mounted handles on two sides

US60 Design, US6015YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 390 mm tall, mounted handles on two sides

US60 Design, US6016YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 390 mm tall, external handles

US60 Design, US6031YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 360 mm tall, mounted handles on two sides

US60 Design, US6053YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 336 mm tall, mounted handles on two sides

US60 Design, US6054YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 340 mm tall, external handles

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number(s):
UL-WATER-001913-0

Report Reference:
MH67512-20260703

Issue Date:
2026-07-14

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:

QNVB7 - Lead Content Verification of Products in Contact with Potable Water Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-001913-0
Report reference: MH67512-20260703
Issue Date: 2026-07-14

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US60 Design, RWUS6011YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 290 mm, US60 Design

US60 Design, RWUS6016YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 390 mm, US60 Design

US60 Design, RWUS6054YY01
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted spout 340 mm, US60 Design

US11 Design, US1111YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 290 mm tall, mounted handle

US11 Design, US1118YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 390 mm tall, mounted handle

US11 Design, US1127YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 340 mm tall, mounted handle

US11 Design, US1133YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 365 mm tall, external handle

US11 Design, US1134YY2HZZ
YY Indicate the different applicable finishing not in contact with water
Category: Single handle deck mounted faucet US11 Design 360 mm tall, mounted handle

US30 Design, US3014YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 290 mm tall, mounted handles on one side

US30 Design, US3015YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 386 mm tall, mounted handles on one side

US30 Design, US3053YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 340 mm tall, mounted handles on one side

US60 Design, US6011YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Deck mounted faucet with flat body and external handle 230 mm long and flat rod 254 mm long

US60 Design, US6014YY2GZZ
YY Indicate the different applicable finishing not in contact with water

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-001913-0
Report reference: MH67512-20260703
Issue Date: 2026-07-14

Category: Two handle deck mounted faucet US60 Design 285 mm tall, mounted handles on two sides

US60 Design, US6015YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 390 mm tall, mounted handles on two sides

US60 Design, US6016YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 390 mm tall, external handles

US60 Design, US6031YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 360 mm tall, mounted handles on two sides

US60 Design, US6053YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 336 mm tall, mounted handles on two sides

US60 Design, US6054YY2GZZ
YY Indicate the different applicable finishing not in contact with water
Category: Two handle deck mounted faucet US60 Design 340 mm tall, external handles

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

Certificate of Compliance

Certificate Number(s):
UL-WATER-002115-0

Report Reference:
MH67512-20261001

Issue Date:
2026-10-07

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:
FDNP - Drinking Water System Components

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-002115-0
Report reference: MH67512-20261001
Issue Date: 2026-10-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS255 Design, RWUS2551YY10
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory mixer tap flat spout RWUS255 design 192 mm

RWUS255 Design, RWUS2551ZZ11
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Concealed body for Lavatory mixer tap RWUS255 design

RWUS255 Design, RWUS2552YY10
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory mixer tap flat spout RWUS255 design 252 mm

RWUS285 Design, RWUS2851YYXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory Mixer Tap 170 mm RWUS2851 Design

RWUS285 Design, RWUS2851ZZ98
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Concealed Body for Lavatory Mixer Tap

RWUS285 Design, RWUS2852YYXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory Mixer Tap 230 mm

US2861YYZZZZ
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Wall-mounted spout 230 mm

US2863YYZZZZ
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Wall-mounted spout 170 mm

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.
Form-ULID-019496 – ver 1.0

Certificate of Compliance

Certificate Number(s):

UL-WATER-002117-0

Report Reference:

MH67512-20261001

Issue Date:

2026-10-07

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:

QNVB - Lead Content Verification of Products in Contact with Potable Water

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-002115-0
Report reference: MH67512-20261001
Issue Date: 2026-10-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS255 Design, RWUS2551YY10
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory mixer tap flat spout RWUS255 design 192 mm

RWUS255 Design, RWUS2551ZZ11
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Concealed body for Lavatory mixer tap RWUS255 design

RWUS255 Design, RWUS2552YY10
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory mixer tap flat spout RWUS255 design 252 mm

RWUS285 Design, RWUS2851YYXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory Mixer Tap 170 mm RWUS2851 Design

RWUS285 Design, RWUS2851ZZ98
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Concealed Body for Lavatory Mixer Tap

RWUS285 Design, RWUS2852YYXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory Mixer Tap 230 mm

US2861YYZZZZ
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Wall-mounted spout 230 mm

US2863YYZZZZ
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Wall-mounted spout 170 mm

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.
Form-ULID-019496 – ver 1.0

Certificate of Compliance

Certificate Number(s):

UL-WATER-002116-0

Report Reference:

MH67512-20261001

Issue Date:

2026-10-07

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:

FDNP7 - Drinking Water System Components Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 61, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-002115-0
Report reference: MH67512-20261001
Issue Date: 2026-10-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS255 Design, RWUS2551YY10
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory mixer tap flat spout RWUS255 design 192 mm

RWUS255 Design, RWUS2551ZZ11
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Concealed body for Lavatory mixer tap RWUS255 design

RWUS255 Design, RWUS2552YY10
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory mixer tap flat spout RWUS255 design 252 mm

RWUS285 Design, RWUS2851YYXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory Mixer Tap 170 mm RWUS2851 Design

RWUS285 Design, RWUS2851ZZ98
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Concealed Body for Lavatory Mixer Tap

RWUS285 Design, RWUS2852YYXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory Mixer Tap 230 mm

US2861YYZZZZ
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Wall-mounted spout 230 mm

US2863YYZZZZ
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Wall-mounted spout 170 mm

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.
Form-ULID-019496 – ver 1.0

Certificate of Compliance

Certificate Number(s):

UL-WATER-002118-0

Report Reference:

MH67512-20261001

Issue Date:

2026-10-07

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:

QNVB7 - Lead Content Verification of Products in Contact with Potable Water Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

NSF/ANSI/CAN 372, Issue Date: 2024

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-002115-0
Report reference: MH67512-20261001
Issue Date: 2026-10-07

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

RWUS255 Design, RWUS2551YY10
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory mixer tap flat spout RWUS255 design 192 mm

RWUS255 Design, RWUS2551ZZ11
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Concealed body for Lavatory mixer tap RWUS255 design

RWUS255 Design, RWUS2552YY10
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory mixer tap flat spout RWUS255 design 252 mm

RWUS285 Design, RWUS2851YYXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory Mixer Tap 170 mm RWUS2851 Design

RWUS285 Design, RWUS2851ZZ98
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Concealed Body for Lavatory Mixer Tap

RWUS285 Design, RWUS2852YYXX
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: External Part for Lavatory Mixer Tap 230 mm

US2861YYZZZZ
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Wall-mounted spout 230 mm

US2863YYZZZZ
YY Indicate the different applicable finishing not in contact with water.
XX Indicate different handle shape

Category: Wall-mounted spout 170 mm

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.
Form-ULID-019496 – ver 1.0

Certificate of Compliance

Certificate Number(s):
UL-WATER-002032-0

Report Reference:
SA46424-20260806

Issue Date:
2026-08-11

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:
QNSQ - Plumbing Fixture Fittings

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10
ASSE 1016/ASME A112.1016/CSA B125.16, 2nd Ed, Issue Date: 2017-02

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-002032-0
Report reference: SA46424-20260806
Issue Date: 2026-08-11

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

W-SMART, RWUS1B86ZZ30
Category: Concealed Body for Two exit Automatic Compensating Valve W-TOUCH Design

W-SMART, RWUS1B94ZZ30
Category: Concealed body for three exit Automatic Compensating Valve W-Smart Design

W-TOUCH, RWUS1N86YY01
YY: Indicate the different applicable finishing has follow: - IS Brushed Steel - 01 PVD Gun metal - 03 PVD Copper Bronze - 04 PVD Pale Gold - 06 PVD Light Bronze - 08 PVD Tic Chocolate
Category: Two exit Automatic Compensating Valve W-Touch Design

W-SMART, RWUS1N94YY01
YY: Indicate the different applicable finishing has follow: - IS Brushed Steel - 01 PVD Gun metal - 03 PVD Copper Bronze - 04 PVD Pale Gold - 06 PVD Light Bronze - 08 PVD Tic Chocolate
Category: Three exit Automatic Compensating Valve W-TOUCH Design

W-SMART, RWUS5C86YY01
YY: Indicate the different applicable finishing has follow: - IS Brushed Steel - 01 PVD Gun metal - 03 PVD Copper Bronze - 04 PVD Pale Gold - 06 PVD Light Bronze - 08 PVD Tic Chocolate
Category: Two exit Automatic Compensating Valve W-Smart Design

W-SMART, RWUS5C86ZZ30
Category: Concealed Body for two exit Automatic Compensating Valve W-Smart Design

W-SMART, RWUS5C94YY01
YY: Indicate the different applicable finishing has follow: - IS Brushed Steel - 01 PVD Gun metal - 03 PVD Copper Bronze - 04 PVD Pale Gold - 06 PVD Light Bronze - 08 PVD Tic Chocolate
Category: Three exit Automatic Compensating Valve W-Smart Design

W-SMART, RWUS5C94ZZ30
Category: Concealed Body for Three exit Automatic Compensating Valve W-Smart Design

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.
Form-ULID-019496 – ver 1.0

Certificate of Compliance

Certificate Number(s):
UL-WATER-002033-0

Report Reference:
SA46424-20260806

Issue Date:
2026-08-11

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:
QNSQ7 - Plumbing Fixture Fittings Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10
ASSE 1016/ASME A112.1016/CSA B125.16, 2nd Ed, Issue Date: 2017-02

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-002033-0
Report reference: SA46424-20260806
Issue Date: 2026-08-11

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

W-SMART, RWUS1B86ZZ30
Category: Concealed Body for Two exit Automatic Compensating Valve W-TOUCH Design

W-SMART, RWUS1B94ZZ30
Category: Concealed body for three exit Automatic Compensating Valve W-Smart Design

W-TOUCH, RWUS1N86YY01
YY: Indicate the different applicable finishing has follow: - IS Brushed Steel - 01 PVD Gun metal - 03 PVD Copper Bronze - 04 PVD Pale Gold - 06 PVD Light Bronze - 08 PVD Tic Chocolate
Category: Two exit Automatic Compensating Valve W-Touch Design

W-SMART, RWUS1N94YY01
YY: Indicate the different applicable finishing has follow: - IS Brushed Steel - 01 PVD Gun metal - 03 PVD Copper Bronze - 04 PVD Pale Gold - 06 PVD Light Bronze - 08 PVD Tic Chocolate
Category: Three exit Automatic Compensating Valve W-TOUCH Design

W-SMART, RWUS5C86YY01
YY: Indicate the different applicable finishing has follow: - IS Brushed Steel - 01 PVD Gun metal - 03 PVD Copper Bronze - 04 PVD Pale Gold - 06 PVD Light Bronze - 08 PVD Tic Chocolate
Category: Two exit Automatic Compensating Valve W-Smart Design

W-SMART, RWUS5C86ZZ30
Category: Concealed Body for two exit Automatic Compensating Valve W-Smart Design

W-SMART, RWUS5C94YY01
YY: Indicate the different applicable finishing has follow: - IS Brushed Steel - 01 PVD Gun metal - 03 PVD Copper Bronze - 04 PVD Pale Gold - 06 PVD Light Bronze - 08 PVD Tic Chocolate
Category: Three exit Automatic Compensating Valve W-Smart Design

W-SMART, RWUS5C94ZZ30
Category: Concealed Body for Three exit Automatic Compensating Valve W-Smart Design

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.
Form-ULID-019496 – ver 1.0

Certificate of Compliance

Certificate Number(s):
UL-WATER-002103-0

Report Reference:
SA46424-20260925

Issue Date:
2026-09-30

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:
QNSQ - Plumbing Fixture Fittings

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-002103-0
Report reference: SA46424-20260925
Issue Date: 2026-09-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US60 Design, US6011YY2GZZ

YY indicating the different applicable finishing not in contact with water.

- IS Brushed Steal
- 01 PVD Gun Metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold
- 06 PVD Light Bronze
- 08 PCD Tic Chocolate

Category: 3 hole washbasin US60 Design 160 mm

US60 Design, US6016YY2GZZ

YY indicating the different applicable finishing not in contact with water.

- IS Brushed Steal
- 01 PVD Gun Metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold
- 06 PVD Light Bronze
- 08 PCD Tic Chocolate

Category: 3 hole washbasin US60 Design 260 mm

US60 Design, US6054YY2GZZ

YY indicating the different applicable finishing not in contact with water.

- IS Brushed Steal
- 01 PVD Gun Metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold
- 06 PVD Light Bronze
- 08 PCD Tic Chocolate

Category: 3 hole washbasin US60 Design 210 mm

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.
Form-ULID-019496 – ver 1.0

Certificate of Compliance

Certificate Number(s):
UL-WATER-002104-0

Report Reference:
SA46424-20260925

Issue Date:
2026-09-30

Issued to:

Rubinetterie 3M S.r.l.
Via Enrico Mattei 10, Asciano, SI, 53041, IT

This certificate confirms that representative samples of:
QNSQ7 - Plumbing Fixture Fittings Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the Standard(s) indicated on this Certificate.

ASME A112.18.1/CSA B125.1, 5th edition, Issue Date: 2024-10

Additional Information:
See UL Product iQ® at https://iq.ulprospector.com for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch
UL Mark Certification Program Manager

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.

CERTIFICATE OF COMPLIANCE

Certificate number(s): UL-WATER-002104-0
Report reference: SA46424-20260925
Issue Date: 2026-09-30

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

US60 Design, US6011YY2GZZ

YY indicating the different applicable finishing not in contact with water.

- IS Brushed Steal
- 01 PVD Gun Metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold
- 06 PVD Light Bronze
- 08 PCD Tic Chocolate

Category: 3 hole washbasin US60 Design 160 mm

US60 Design, US6016YY2GZZ

YY indicating the different applicable finishing not in contact with water.

- IS Brushed Steal
- 01 PVD Gun Metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold
- 06 PVD Light Bronze
- 08 PCD Tic Chocolate

Category: 3 hole washbasin US60 Design 260 mm

US60 Design, US6054YY2GZZ

YY indicating the different applicable finishing not in contact with water.

- IS Brushed Steal
- 01 PVD Gun Metal
- 03 PVD Copper Bronze
- 04 PVD Pale Gold
- 06 PVD Light Bronze
- 08 PCD Tic Chocolate

Category: 3 hole washbasin US60 Design 210 mm

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at https://www.ul.com/contact-us.

© 2026 UL LLC. All rights reserved.
Form-ULID-019496 – ver 1.0